## **APC anti-mouse CD2**

**Catalog # / Size:** 1100555 / 25 μg

1100560 / 100 µg

Clone: RM2-5

**Isotype:** Rat IgG2b,  $\lambda$ 

Immunogen: BALB/c mouse thymocytes

Reactivity: Mouse

**Preparation:** The antibody was purified by affinity


chromatography and conjugated with APC under optimal conditions. The solution is free of unconjugated APC and

unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide.

Concentration: 0.2



C57BL/B6 mouse splenocytes were stained with CD2 (clone RM2-5) APC (filled histogram) or rat IgG2b,  $\lambda$  APC isotype control (open histogram).

## **Applications:**

**Applications:** Flow Cytometry

Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤0.25 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each

application.

**Application** 

Notes:

Additional reported applications (for the relevant formats) include: *in vitro* blocking of CD2-mediated cell-cell adhesion and inhibition of T cell activation1, blocking of T cell A.I.C.D.2, immunoprecipitation3, and co-induction of thymocyte maturation4. The RM2-5 antibody can block CD2-mediated cell-cell adhesion. The LEAF™ purified antibody (Endotoxin <0.1 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 100110).

Application References:

1. Nakamura T, et al. 1990. J. Immunol. 145:3628. (Block)

2. Ayroldi E, et al. 1997. Blood 89:3717. (Block)

3. Criado G, et al. 1996. Eur. J. Immunol. 26:1228. (IP)

4. Cibotti R, et al. 1997. Immunity 6:245. (Costim)

**Description:** CD2 is a 45-58 kD type I transmembrane glycoprotein, also known as LFA-2, T11

or Ly-37. It is a member of the Ig superfamily. Mouse CD2 is primarily expressed on T cells, B cells, thymocytes and NK cells. It is a ligand for CD48 and is involved

in T cell activation and differentiation.

Antigen References:

1. Barclay AN, et al. 1997. The Leukocyte Antigen FactsBook Academic Press.

2. Davis SJ, et al. 1996. Immunol. Today 17:177.

3. Bierer BE, et al. 1989. Annu. Rev. Immunol. 7:579.