Product Data Sheet

PE anti-mouse H-2D b

Catalog # / Size: 1157535 / 50 μg

1157540 / 200 µg

Clone: KH95

Isotype: Mouse IgG2b, κ

Immunogen: C57BL/10 mouse skin graft and

splenocytes

Reactivity: Mouse

Preparation: The antibody was purified by affinity


chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and

unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide.

Concentration: 0.2



C57BL/6 splenocytes stained with

KH95 PE

Applications:

Applications: Flow Cytometry

Recommended

Usage:


Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤1.0 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each application.

Application

Notes:

Additional reported applications (for the relevant formats) include: complement-dependent cytotoxicity1, and Western

blotting.



BALB/c splenocytes stained with

KH95 PE

Application References:

- 1. Hasenkrug KJ, et al. 1987. Immunogenetics 25:136.
- 2. Shao H, et al. 2005. J. Immunol. 175:1851.
- 3. Ponomarev ED, et al. 2006. J. Immunol. 176:1402.
- 4. Robb RJ, et al. 2012 Blood. 119:5898. PubMed
- 5. Zhang P, et al. 2013. J. Immunol. 191:5291. PubMed
- 6. Quinn KM, et al. 2013. J. Immunol. 191:5085. PubMed
- 7. Markey KA, *et al.* 2014. *J Immunol.* 192:5426. <u>PubMed</u>
- 8. Hogan T, et al. 2014. PLoS Comput Biol. 10:1003805. PubMed

Description: The KH95 antibody reacts with the H-2Db MHC class I alloantigen expressed on

nucleated cells from mice of the H-2Db haplotype. H-2Db is involved in antigen presentation to T cells expressing CD3/TCR and CD8 proteins. Reactivity with

other haplotypes (e.g., a,d,f,k,n,p,q,r,s,u,v) has not been reported.

Antigen References:

- 1. Watts C. 1997. Ann. Rev. Immunol. 15:821.
- Pamer E, et al. 1998. Ann. Rev. Immunol. 16:323.
 York I, et al. 1996. Ann. Rev. Immunol. 14:369.