## PE anti-mouse TER-119/Erythroid Cells

Catalog # / 1181040 / 200 µg

Size: 1181035 / 50 µg

Clone: **TER-119** 

Isotype: Rat IgG2b, ĸ

Day-14 fetal liver cells from a C57BL/6 Immunogen:

mouse

Reactivity: Mouse

The antibody was purified by affinity **Preparation:** 


> chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE

and unconjugated antibody.

Phosphate-buffered solution, pH 7.2, Formulation:

containing 0.09% sodium azide.

**Concentration:** 0.2



C57BL/6 bone marrow cells stained with TER-119 PE and anti-

mouse CD45 APC

## **Applications:**

**Applications:** Flow Cytometry

Recommended

**Usage:** 

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.25$  microg per  $10^6$  cells in 100 microL volume. It is recommended that the reagent be titrated for optimal

performance for each application.

**Application** 

Notes:

The TER-119 antibody is useful for distinguishing erythrocytes and cells in the erythroid lineage. Additional reported applications (for the relevant formats) include: immunoprecipitation1, Western blotting1, complement-mediated cytotoxicity3, and immunohistochemical staining of acetone-fixed frozen sections and formalin-fixed paraffin-embedded sections. LEAF™ purified antibody (Endotoxin <0.1 EU/μg, Azide-Free, 0.2 μm filtered) is recommended for functional assays (Cat. No. 116214).

**Application** References: 1. Kina T, et al. 2000. Br. J. Haematol. 109:280. (IP, WB)

2. Vannucchi AM, et al. 2000. Blood 95:2559.

3. Maraskovsky E, et al. 1996. J. Exp. Med. 184:1953. (CMCD)

4. Grisendi S, et al. 2005. Nature 437:147. (FC) 5. Bourdeau A, et al. 2007. Blood 109:4220.

6. Chappaz S, et al. 2007. Blood 110:3862. (FC) 7. Heuser M, et al. 2007. Blood 110:1639. (FC)

8. Lassen KG, et al. 2014. PNAS. 111:7441. PubMed

9. Toda S, et al. 2014. Blood. 123:3963. PubMed

10. Duek A, et al. 2014. Blood. 123:3943. PubMed

11. Hsieh WC, et al. 2015. Gut. 64:312. PubMed

**Description:** 

The TER-119 antigen is a 52 kD glycophorin A-associated protein, also known as Ly-76. TER-119 is an erythroid-specific antigen expressed on early proerythroblasts to mature erythrocytes, but not on erythroid colony-forming cells (BFU-E, blast-forming unit erythroid, or CFU-E, colony-forming unit

erythroid).

Antigen 1. Kina T, et al. 2000. Br. J. Haematol. 109:280. References: 2. Ikuta K, et al. 1990. Cell 62:863.

3. Osawa M, et al. 1996. Weir's Handbook of Experimental Immunology. Vol. 2 pp. 66.1-66.5.