APC/Cy7 anti-mouse TER-119/Erythroid Cells

Catalog # / Size: 1181115 / 25 μg

> Clone: **TER-119** Isotype: Rat IgG2b, κ

Day-14 fetal liver cells from a C57BL/6 Immunogen:

mouse

Reactivity: Mouse

Preparation: The antibody was purified by affinity


chromatography, and conjugated with APC/Cy7 under optimal conditions. The solution is free of unconjugated APC/Cy7

and unconjugated antibody.

Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide.

Concentration: 0.2



C57BL/6 bone marrow cells were stained with TER-119 APC/Cv7 (filled histogram) or rat IgG2b, κ APC/Cv7 isotype control (open histogram). Data shown was gated on total cell population.

Applications:

Flow Cytometry **Applications:**

Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of

this reagent is ≤ 0.25 microg per 10^6 cells in 100 microL volume. It is

recommended that the reagent be titrated for optimal performance for each application.

Application Notes:

The TER-119 antibody is useful for distinguishing erythrocytes and cells in the erythroid lineage. Additional reported applications (for the relevant formats) include: immunoprecipitation1, Western blotting1, complement-mediated cytotoxicity3, and immunohistochemical staining of acetone-fixed frozen sections and formalin-fixed paraffin-embedded sections. LEAF™ purified antibody (Endotoxin <0.1 EU/μg, Azide-Free, 0.2 μm filtered) is recommended for

functional assays (Cat. No. 116214).

Application References: 1. Kina T, et al. 2000. Br. J. Haematol. 109:280. (IP, WB)

2. Vannucchi AM, et al. 2000. Blood 95:2559.

3. Maraskovsky E, et al. 1996. J. Exp. Med. 184:1953. (CMCD)

4. Grisendi S, et al. 2005. Nature 437:147. (FC) 5. Bourdeau A, et al. 2007. Blood 109:4220. 6. Chappaz S, et al. 2007. Blood 110:3862. (FC) 7. Heuser M, et al. 2007. Blood 110:1639. (FC)

8. Castiglioni A, et al. 2015. PLoS One. 10:128094. PubMed

The TER-119 antigen is a 52 kD glycophorin A-associated protein, also known as **Description:**

Ly-76. TER-119 is an erythroid-specific antigen expressed on early

proerythroblasts to mature erythrocytes, but not on erythroid colony-forming cells (BFU-E, blast-forming unit erythroid, or CFU-E, colony-forming unit erythroid).

Antigen References: 1. Kina T, et al. 2000. Br. J. Haematol. 109:280.

2. Ikuta K, et al. 1990. Cell 62:863.

3. Osawa M, <i>et al.</i> 1996. <i>Weir's Han</i> 66.1-66.5.	dbook of Experimental Immunol	ogy. Vol. 2 pp.