## **Product Data Sheet**

## Spark Blue™ 550 anti-mouse TER-119/Erythroid Cells

Catalog # / 1181305 / 25 μg

Size: 1181310 / 100 µg

Clone: **TER-119** 

Isotype: Rat IgG2b, ĸ

Day-14 fetal liver cells from a Immunogen:

C57BL/6 mouse

Reactivity: Mouse

The antibody was purified by affinity Preparation:


> chromatography and conjugated with Spark Blue™ 550 under optimal

conditions.

Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide

0.5 mg/mL Concentration:



C57BL/6 mouse bone marrow cells stained with CD45 PE and Ter-119/Erythroid Cells (clone Ter-119) Spark Blue™ 550 (left) or CD45 (clone 30-F11) PE (right).

## **Applications:**

Flow Cytometry Applications:

Recommended

**Usage:** 

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.25 μg per million cells in 100 μL volume. It is recommended that the reagent be titrated for optimal performance for each application.

\* Spark Blue™ 550 has a maximum excitation of 516 nm and a maximum emission of 540 nm.

**Application** Notes:

The TER-119 antibody is useful for distinguishing erythrocytes and cells in the erythroid lineage. Additional reported applications (for the relevant formats) include: immunoprecipitation<sup>1</sup>, Western blotting<sup>1</sup>, complementmediated cytotoxicity<sup>3</sup>, and immunohistochemical staining of acetone-fixed frozen sections and formalin-fixed paraffin-embedded sections. Ultra-LEAF™ purified antibody (Endotoxin < 0.01 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 116253-116258).

**Application** References:

- 1. Kina T, et al. 2000. Br. J. Haematol. 109:280. (IP, WB)
- 2. Vannucchi AM, et al. 2000. Blood 95:2559.
- 3. Maraskovsky E, et al. 1996. J. Exp. Med. 184:1953. (CMCD)
- 4. Grisendi S, et al. 2005. Nature 437:147. (FC)
- 5. Bourdeau A, et al. 2007. Blood 109:4220.
- 6. Chappaz S, et al. 2007. Blood 110:3862. (FC)
- 7. Heuser M, et al. 2007. Blood 110:1639. (FC)
- 8. Gough SM, et al. 2014. Cancer Discov. 4:564. PubMed

**Description:** The TER-119 antigen is a 52 kD glycophorin A-associated protein, also

known as Ly-76. TER-119 is an erythroid-specific antigen expressed on early proerythroblasts to mature erythrocytes, but not on erythroid colony-

forming cells (BFU-E, blast-forming unit erythroid, or CFU-E, colony-forming

unit erythroid).

Antigen 1. Kina T, et al. 2000. Br. J. Haematol. 109:280. References: 2. Ikuta K, et al. 1990. Cell 62:863.

3. Osawa M, et al. 1996. Weir's Handbook of Experimental Immunology. Vol. 2

pp. 66.1-66.5.