
Product Data Sheet

PerCP/Cy5.5 anti-mouse CD193 (CCR3)

Catalog # / Size:	1322580 / 100 μg 1322575 / 25 μg
Clone:	J073E5
Isotype:	Rat IgG2a, к
Immunogen:	Mouse CCR3-transfectants
Reactivity:	Mouse
Preparation:	The antibody was purified by affinity chromatography and conjugated with PerCP/Cy5.5 under optimal conditions. The solution is free of unconjugated PerCP/Cy5.5 and unconjugated antibody.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Concentration :	0.2




C57BL/6 mouse bone marrow cells were stained with Gr-1 PE and CD193 (clone J073E5) PerCP/Cy5.5 (top) or rat IgG2a, κ PerCP/Cy5.5 isotype control (bottom). Data shown were gated on the myeloid cell population.

Applications:

Applications:	Flow Cytometry
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.5 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each application.

* PerCP/Cy5.5 has a maximum absorption of 482 nm and a maximum emission of 690 nm.



Description: CD193, also known as CC-chemokine receptor 3 (CCR3), CC CKR3, MIP1-α receptor like-2, and eotaxin receptor, is a member of the G protein-coupled, seven transmembrane receptor family. It binds to the CC chemokines eotaxin, eotaxin-2, and eotaxin-3 with high affinity. CD193 has also been reported to bind RANTES, MCP-3, and MCP-4 with low affinity. CD193 is expressed on mouse eosinophils, basophils, mast cells, mononuclear phagocytes, platelets, hematopoietic progenitor cells, and keratinocytes. It is thought to play a role in allergic diseases such as bronchial asthma and allergic rhinitis. CD193 also function as a co-receptor for HIV-1 and HIV-2, and the binding of eotaxin with CD193 has been shown to inhibit HIV infection in some cell types.

Antigen	1. Zlotnik A, <i>et al.</i> 2006. <i>Genome Biol.</i> 7:243.
References:	2. Kodali RB, et al. 2004. Arterioscler. Thromb. Vasc. Biol. 24:1211.
	3. Das AM, <i>et al.</i> 2006. <i>J. Pharmacol. Exp. Ther.</i> 318:411.
	4 Huaux

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com