
Product Data Sheet

APC anti-mouse CD45

Catalog # / Size:	1338535 / 25 μg 1338540 / 100 μg	
Clone:	13/2.3	
Isotype:	Rat IgG2b	nber
Immunogen:	Mouse lymphoma cell line	ive Cell Nur
Reactivity:	Mouse	
Preparation:	The antibody was purified by affinity chromatography and conjugated with APC under optimal conditions. The solution is free of unconjugated APC and unconjugated antibody.	Relat
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.	C57
Concentration:	0.2	wit



C57BL/6 splenocytes were stained with CD45 (clone I3/2.3) APC (filled histogram) or rat IgG2b APC isotype control (open histogram).

Applications:

Applications:	Flow Cytometry
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.25 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each application.
Application Notes:	Additional reported applications (for the relevant formats) include: immunohistochemical staining of paraffin embedded sections1 and frozen tissue sections2.
Application References:	1. Kliment C, <i>et al.</i> 2009. <i>J. Mol. Cell Cardiol.</i> 47:730. (IHC) 2. Reynolds JM, <i>et al.</i> 2007. <i>J. Immunol.</i> 179:313. (IHC)

Description: CD45 is a 180-240 kD glycoprotein also known as the leukocyte common antigen (LCA), T200, or Ly-5. It is a member of the protein tyrosine phosphatase (PTP) family, expressed on all hematopoietic cells except mature erythrocytes and platelets. There are different isoforms of CD45 that arise from alternative splicing of exons 4, 5, and 6, which encode A, B, and C determinants, respectively. CD45 plays a key role in TCR and BCR signal transduction. These isoforms are very specific to the activation and maturation state of the cell as well as cell type. The primary ligands for CD45 are galectin-1, CD2, CD3, CD4, TCR, CD22, and Thy-1.
Antigen References: 2. Trowbridge IS and Thomas ML. 1994. Annu. Rev. Immunol. 12:85.
3. Kishihara K, *et al.* 1993. *Cell* 74:143.

4. Pulido R,

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com