## **Product Data Sheet**

## APC anti-mouse CD192 (CCR2)

**Catalog #** /  $1353140 / 100 \mu g$ 

**Size:** 1353135 / 25 μg

Clone: SA203G11

**Isotype:** Rat IgG2b, κ

Immunogen: Mouse CCR2 transfectants.

Reactivity: Mouse

**Preparation:** The antibody was purified by affinity


chromatography and conjugated with APC under optimal conditions. The solution is free of unconjugated APC

and unconjugated antibody.

**Formulation:** Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide.

Concentration: 0.2 mg/ml



C57BL/6 bone marrow was stained with Ly-6G FITC, CD11b PE, and CD192 (CCR2) (clone SA203G11) APC (left) or Rat IgG2b, κ APC isotype control (right). Dot plots are gated on Ly-6G negative cells.

## **Applications:**

**Applications:** Flow Cytometry

Recommended Eac

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.5~\mu g$  per million cells in 100  $\mu l$  volume. It is recommended that the reagent be titrated for optimal performance for

each application.

Application

Notes:

Ba13 recognizes circulating and bone marrow basophils; it also recognizes a subset of mast cells in the peritoneal cavity and skin. Additional reported applications (for the relevant formats) include: stimulation of bone marrow

derived basophils to produce IL-4.

Application References:

Takakura N, et al. 1996. J. Invest. Dermatol. 107:770.
Liao C, et al. 2010. J. Clin. Invest. 120:242. (Block)

3. Chen H, et al. 2015. ASN Neuro 8:7. PubMed

**Description:** CD192, also known as CCR2, is a 42 kD G-protein coupled receptor that is

associated with bone marrow homeostasis. Specifically, CD192 mediates monocyte chemotaxis and acts as a receptor for monocyte chemoattractant

protein 1 (MCP-1). CD192 is primarily expressed on monocytes and

macrophages, with some expression on basophils. It is involved in monocyte

infiltration in inflammatory diseases such as rheumatoid arthritis and

cancer.

Antigen References:

Mack M, et al. 2001. J. Immunol. 166:4697.
Dutta P, et al. 2015. Cell Stem Cell. 16:477.

3. Li L, et al. 2008. Kidney Int. 74:1526.