
Alexa Fluor® 700 anti-mouse CD45

Catalog # / Size:	1386045 / 25 μg 1386050 / 100 μg
Clone:	S18009F
lsotype:	Rat IgG2b, к
Immunogen:	Recombinant mouse CD45
Reactivity:	Mouse
Preparation:	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor® 700 under optimal conditions.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide
Concentration:	0.5 mg/mL



C57BL/6 splenocytes were stained with CD45 (clone S18009F) Alexa Fluor® 700 (filled histogram) or rat IgG2b, κ Alexa Fluor® 700 isotype control (open histogram).

Applications:

Applications: Flow Cytometry

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 0.25 \ \mu$ g per million cells in 100 μ L volume. It is recommended that the reagent be titrated for optimal performance for each application.

* Alexa Fluor® 700 has a maximum emission of 719 nm when it is excited at 633 nm / 635 nm. Prior to using Alexa Fluor® 700 conjugate for flow cytometric analysis, please verify your flow cytometer's capability of exciting and detecting the fluorochrome.

Description: CD45 is a 180-240 kD glycoprotein also known as the leukocyte common antigen (LCA), T200, or Ly-5. It is a member of the protein tyrosine phosphatase (PTP) family, expressed on all hematopoietic cells except mature erythrocytes and platelets. There are different isoforms of CD45 that arise from variable splicing of exons 4, 5, and 6, which encode A, B, and C determinants, respectively. CD45 plays a key role in TCR and BCR signal transduction. These isoforms are very specific to the activation and maturation state of the cell as well as cell type. The primary ligands for CD45 are galectin-1, CD2, CD3, CD4, TCR, CD22, and Thy-1.

Antigen1. Barclay A, et al. 1997. The Leukocyte Antigen FactsBook Academic Press.References:2. Trowbridge IS, et al. 1994. Annu. Rev. Immunol. 12:85.3. Kishihara K, et al. 1993. Cell. 74:143.

4. Pulido R, et al. 1988. J. Immunol. 140:3851.

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com