
Product Data Sheet

Purified anti-human CD1a

Catalog # / Size:	2100505 / 25 μg 2100510 / 100 μg
Clone:	HI149
Isotype:	Mouse IgG1, к
Reactivity:	Human
Preparation:	The antibody was purified by affinity chromatography.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Workshop Number:	V CD01.01
Concentration:	0.5



Human T lymphoblastic leukemia cell line Molt-4 stained with purified HI149, followed by anti-mouse IgGs FITC

Applications:

Applications:	Flow Cytometry, Immunohistochemistry
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is \leq 2.0 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each application.
Application Notes:	Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen tissue sections.
Application References:	 Schlossman S, <i>et al.</i> Eds. 1995. Leucocyte Typing V. Oxford University Press. New York. Knapp W. 1989. Leucocyte Typing IV. Oxford University Press New York. Patton KM, <i>et al.</i> 2005. <i>Infect. Immun.</i>73:2083. <u>PubMed</u> Curti A, <i>et al.</i> 2010. <i>Haematologica.</i> 95:2022. <u>PubMed</u>
Description:	CD1a is a 49 kD member of the immunoglobulin superfamily also known as T6 and R4. It is a type I membrane glycoprotein with structural similarities to MHC class I and is non-covalently associated with β_2 -microglobulin. CD1a plays a role in non-peptide glycolipid antigen presentation to CD1-restricted T cells. It is expressed on cortical double positive and single positive thymocytes, Langerhans cells, and dendritic cells. In addition to antigen presentation, CD1a has been implicated in

Antigen	1. Blumberg RS, <i>et al.</i> 1995. <i>Immunol. Rev.</i> 147:5.
References:	2. Calabi F, <i>et al.</i> 1991. <i>Tissue Antigens</i> 37:1.
	3. Melian A, <i>et al.</i> 1996. <i>Curr. Opin. Immunol.</i> 8:82.

thymic T cell development.

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com