## SONY

## **Product Data Sheet**

PE/Dazzle™ 594 anti-human CD42b

Catalog # / Size: 2119610 / 100 tests

2119605 / 25 tests

Clone: HIP1

**Isotype:** Mouse IgG1, κ

Reactivity: Human
Concentration: NULL

## **Applications:**

**Applications:** Flow Cytometry

Recommended

**Usage:** 

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5 microL per million cells or 5 microL per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

\* PE/Dazzle™ 594 has a maximum excitation of 566 nm and a maximum emission

of 610 nm.

Application Notes:

Clone HIP1 recognizes an epitope within the N-terminal region of the GPIb $\alpha$  chain5. Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen tissue sections, Westerm blotting, and inhibition of platelet aggregation2. The LEAF  $^{\text{TM}}$  purified antibody (Endotoxin <0.1 EU/ $\mu$ g, Azide-Free, 0.2  $\mu$ m filtered) is recommended for functional assays (Cat. No. 303908).

**Description:** CD42b is a 145 kD glycoprotein known as gplbα. It is covalently bonded to CD42c

to form GPIb. CD42b is expressed on platelets and megakaryocytes. CD42b/c heterodimer forms a complex with CD42a and d and acts as the receptor for von

Willibrand factor and thrombin.