
Product Data Sheet

Brilliant Violet 605[™] anti-human CD24

Catalog # / Size:	2155620 / 100 tests 2155615 / 25 tests
Clone:	ML5
Isotype:	Mouse IgG2a, к
Reactivity:	Human
Preparation:	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 605 [™] under optimal conditions. The solution is free of unconjugated Brilliant Violet 605 [™] and unconjugated antibody.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).
Workshop Number:	V CD24.5
Concentration:	Lot-specific




Human peripheral blood lymphocytes were stained with CD19 APC and CD24 (clone ML5) Brilliant Violet 605[™] (top) or mouse IgG2a, κ Brilliant Violet 605[™] isotype control (bottom).

Applications:

Applications:	Flow Cytometry
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 5 microL per million cells or 5 microL per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Brilliant Violet 605[™] excites at 405 nm and emits at 603 nm. The bandpass filter 610/20 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. **Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel.** Refer to your instrument manual or manufacturer for support. Brilliant Violet 605[™] is a trademark of Sirigen Group Ltd.

This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research



	purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.
Application Notes:	Additional reported applications (for the relevant formats) include: immunofluorescence microscopy3.
Application References:	 Schlossman S, <i>et al.</i> Eds. 1995. Leukocyte Typing V:White Cell Differentiation Antigens. Oxford University Press. New York. McMichael A, <i>et al.</i> 1987. Leucocyte Typing III. Oxford University Press. New York. Yang GP, <i>et al.</i> 1999. <i>Nucleic Acids Research</i> 27:1517. (IF) Kristiansen G, <i>et al.</i> 2003. <i>Clin. Cancer Res.</i> 9:4906. (FC)
Description:	CD24 is a 35-45 kD glycosylphosphatidylinositol (GPI)-linked protein also known as heat stable antigen (HSA), BA-1, Ly-52, and nectadrin. It is expressed on the surface of B cells (but not plasma cells), granulocytes, follicular dendritic cells, and epithelial cells. CD24 may play a role in the regulation of B-cell proliferation and maturation. CD24 crosslinking induces a Ca^{2+} flux in mature B cells. CD24 has been shown to interact with CD62P (P-selectin).
Antigen References:	1. Schlossman S, <i>et al.</i> Eds. 1995. Leukocyte Typing V. Oxford University Press. New York.