SONY

Product Data Sheet

APC anti-human CD39

Catalog # / Size: 2241045 / 25 tests
2241050 / 100 tests

Clone: A1

Isotype: Mouse IgG1, κ

Immunogen: PHA activated human lymphocytes

Reactivity: Human, Other

Preparation: The antibody was purified by affinity chromatography, and conjugated with APC under optimal conditions.

Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).

Workshop Number: HCDM listed

Concentration: Lot-specific



Human peripheral blood lymphocytes stained with CD (RPA-T4) FITC and A1 APC (top) or mIgG1,k APC isotype control (bottom).

Applications:

Applications: Flow Cytometry

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. **Test size products are transitioning from 20 µl to 5 µl per test**. Please check your vial or your CoA to find the suggested use of this reagent per million cells in 100 µl staining volume or per 100 µl of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.



Application Notes: The A1 antibody binds to the human CD39 cell surface antigen and has been shown to block MHC independent target cell recognition by hapten-specific CTL. Additional reported applications (for the relevant formats) include: *in vitro* CD39 blockade[3], immunofluorescence[4], and immunohistochemistry[6].

Application References:

1. Aversa GG, *et al.* 1988. *Transplant. P.* 20:4952.
2. Aversa GG, *et al.* 1989. *Transplant. P.* 21:34950.
3. Borsellino G, *et al.* 2007. *Blood*. 110:1225. (Block)
4. Stockl J, *et al.* 2001. *J. Immunol.* 167:2724. (IF)
5. Sestak K, *et al.* 2007. *Vet. Immunol. Immunopathol.* 119:21.
6. Lyck L, *et al.* 2008. *J. Histochem. Cytochem.* 56:201. (IHC)

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products.

Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com

Description: Human CD39 is an integral membrane protein with two transmembrane domains. It exists as a homotetramer. Expression of CD39 is found on activated lymphocytes, a subset of T cells and B cells, and dendritic cells with weak staining on monocytes and granulocytes. CD39 and CD73 have been found on regulatory T cells, specifically the effector/memory like T cells. CD39 can hydrolyze both nucleoside triphosphates and diphosphates. CD39 is the dominant ecto nucleotidase of vascular and placental trophoblastic tissues and appears to modulate the functional expression of type 2 purinergic (P2) G protein coupled receptors (GPCRs). CD39 has intrinsic ecto-ATPase activity. Expression of CD39 is induced on T cells and increased on B cells as a late activation antigen.

Antigen References:

1. Thomas M. 1989. *Annu. Rev. Immunol.* 7:339.
2. Trowbridge I, *et al.* 1994. *Annu. Rev. Immunol.* 12:85.

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products.
Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com