

**Brilliant Violet 421™ anti-human CD71**

**Catalog # / Size:** 2270605 / 25 tests  
2270610 / 100 tests

**Clone:** CY1G4

**Isotype:** Mouse IgG2a,  $\kappa$

**Immunogen:** NALM-6 pre-B cell line


**Reactivity:** Human

**Preparation:** The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 421™ under optimal conditions. The solution is free of unconjugated Brilliant Violet 421™ and unconjugated antibody.

**Formulation:** Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).

**Workshop Number:** A015

**Concentration:** Lot-specific



PHA-stimulated (3 days) human peripheral blood lymphocytes were stained with CD71 (clone CY1G4) Brilliant Violet 421™ (filled histogram) or mouse IgG2a,  $\kappa$  Brilliant Violet 421™ isotype control (open histogram).

**Applications:**

**Applications:** Flow Cytometry

**Recommended Usage:** Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5  $\mu$ l per million cells or 5  $\mu$ l per 100  $\mu$ l of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Brilliant Violet 421™ excites at 405 nm and emits at 421 nm. The standard bandpass filter 450/50 nm is recommended for detection. Brilliant Violet 421™ is a trademark of Sirigen Group Ltd.

This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.

**Application References:** 1. Hentze M, *et al.* 1996. *P. Natl. Acad. Sci. USA* 93:8175.  
2. Trowbridge I, *et al.* 1993. *Annu. Rev. Cell Biol.* 9:129.

**Description:** CD71 is a 95 kD type II homodimeric transmembrane glycoprotein also known as T9 and transferrin receptor. It is expressed on proliferating cells, reticulocytes, and erythroid precursors. CD71 plays a role in the control of cellular proliferation by facilitating the uptake of iron via ferrotransferrin binding and the recycling of apotransferrin to the cell surface.

**Antigen References:** 1. Hentze M, *et al.* 1996. *P. Natl. Acad. Sci. USA* 93:8175.  
2. Trowbridge I, *et al.* 1993. *Annu. Rev. Cell Biol.* 9:129.

