
Product Data Sheet

PE anti-human CD73 (Ecto-55'-nucleotidase)

Catalog # / Size:	2320020 / 100 tests 2320015 / 25 tests
Clone:	AD2
Isotype:	Mouse IgG1, к
Reactivity:	Human
Preparation:	The antibody was purified by affinity chromatography, and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).
Workshop Number:	V B-CD73.3
Concentration:	Lot-specific



Human peripheral blood lymphocytes stained with AD2 PE and CD3 APC

Applications:

Applications:	Flow Cytometry		
Recommended Usage: Application Notes:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. Test size products are transitioning from 20 microL to 5 microL per test . Please check your vial or your CoA to find the suggested use of this reagent per million cells in 100 microL staining volume or per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application. Additional reported applications (for the relevant formats) include:immunofluorescence3.	Understand the second s	
Application References:	1. Nakamura T, <i>et al.</i> 1993. <i>J. Immunol.</i> 151:6933. 2. Liao J, <i>et al.</i> 2011. <i>J Endod.</i> 37:1217. <u>PubMed</u> 3. Touboul C, <i>et al.</i> 2013. <i>J. Transl. Med.</i> 11:28. (IF)		
Description:	CD73 is a 70 kD glycophosphatidylinositol (GPI)-linked 5'-nucleotidase, which is also known as ecto-5'-nucleotidase. It converts adenosine monophosphate (AMP) to adenosine. CD73 is expressed on subsets of T and B cells, mesenchymal stem cells, follicular dendritic cells, endothelial cells, and epithelial cells. It has been reported that CD73 costimulates T cell activation, and mediates adhesion of lymphocytes to follicular dendritic cells and endothelial cells.		
Antigen References:	 Zola H, et al. 2007. Leukocyte and stromal Cell Molecules:the CD Markers. A John Wiley & Sons Inc, Publication. Airas L and Jalkanen S, et al. 1996. Blood 88:1755. Gutensohn W, et al. 		

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com