PerCP/Cy5.5 anti-human CD73 (Ecto-55'-nucleotidase)

Catalog # / Size: 2320070 / 100 tests

2320065 / 25 tests

Clone: AD2

Isotype: Mouse IgG1, κ

Reactivity: Human

Preparation: The antibody was purified by affinity

chromatography and conjugated with PerCP/Cy5.5 under optimal conditions. The solution is free of unconjugated PerCP/Cy5.5 and unconjugated

antibody.


Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide and

0.2% (w/v) BSA (origin USA).

Workshop Number: V B-CD73.3

Concentration: Lot-specific



Applications:

Applications: Flow Cytometry

Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5 microL per million cells or 5 microL per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for

each application.

* PerCP/Cy5.5 has a maximum absorption of 482 nm and a maximum

emission of 690 nm.

Application Notes:

Additional reported applications (for the

relevant formats)

include:immunofluorescence3.

CD3 FITC

Human peripheral blood

lymphocytes were stained with CD3

FITC and CD73 (clone AD2)

PerCP/Cy5.5 (top) or mouse IgG1, к

PerCP/Cy5.5 isotype control

(bottom).

Application References:

1. Nakamura T, et al. 1993. J. Immunol. 151:6933.

2. Liao J, et al. 2011. J Endod. 37:1217. PubMed

3. Touboul C, et al. 2013. J. Transl. Med. 11:28. (IF)

Description:

CD73 is a 70 kD glycophosphatidylinositol (GPI)-linked 5'-nucleotidase, which is also known as ecto-5'-nucleotidase. It converts adenosine monophosphate (AMP) to adenosine. CD73 is expressed on subsets of T and B cells, mesenchymal stem cells, follicular dendritic cells, endothelial cells, and epithelial cells. It has been reported that CD73 costimulates T cell activation, and mediates adhesion of lymphocytes to follicular dendritic cells and endothelial cells.

Antigen 1. Zola H, et al. 2007. Leukocyte and stromal Cell Molecules: the CD Markers. A

John Wiley & Sons Inc, Publication.
2. Airas L and Jalkanen S, et al. 1996. Blood 88:1755.
3. Gutensohn W, et al. **References:**