
Product Data Sheet

PE/Cy7 anti-human CD124 (IL-4Rα)


Catalog # / Size:	2375035 / 25 tests 2375040 / 100 tests
Clone:	G077F6
Isotype:	Mouse IgG2a, κ
Immunogen:	Recombinant human IL-4R α Fc chimera
Reactivity:	Human
Preparation:	The antibody was purified by affinity chromatography and conjugated with PE/Cy7 under optimal conditions. The solution is free of unconjugated PE/Cy7 and unconjugated antibody.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).
Concentration:	Lot-specific



Human peripheral blood lymphocytes were stained with CD19 APC and CD124 (clone G077F6) PE/Cy7 (top) or mouse IgG2a, κ PE/Cy7 isotype control (bottom).

Applications:

Applications:	Flow Cytometry
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5 microL per million cells or 5 microL per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.



Description: CD124, also known as the α subunit of IL-4R, is a 140 kD transmembrane glycoprotein. It associates with either the common γ -chain (CD132) to form the type I IL-4R complex, which specifically binds IL-4, or with IL-13Ra1 to form the type II IL-4R heterodimeric complex, which binds and transduces signals from either IL-4 or IL-13. A truncated form of IL-4R α exists in the soluble form in biological fluids. CD124 is expressed on human B and T cells as well as a variety of other hematopoietic and non-hematopoietic cells and cell lines. In B cells, CD124 can bind with IL-4 and IL-13 to regulate IgE antibody production. In T cells, the type I IL-4R (IL-4R/gC) is mostly responsible for Th2 cell expansion by mediating IL-4-dependent activation of the transcription factors in hematopoietic cells. The type II IL-4R (IL-4R/IL-13Ra1) is the main route for non-hematopoietic cell responses to IL-4 or IL-13.

Antigen References: Kashiwada M, *et al.* 2001. *J. Immunol.* 167:6382.
Gilmour J, *et al.* 2008. *Immunology* 124:437.
Hage T, *et al.* 1999. *Cell* 97:271.

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com