Product Data Sheet

APC/Fire™ 750 anti-human CD70

Catalog # / 2375610 / 100 tests

Size: 2375605 / 25 tests

Clone: 113-16

Isotype: Mouse IgG1

Immunogen: CD70-transfected L cells

Reactivity: Human

Preparation: The antibody was purified by affinity

chromatography and conjugated with

APC/Fire™ 750 under optimal

conditions.


Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide and

0.2% (w/v) BSA (origin USA).

Workshop Number: **HCDM** listed

Concentration: Lot-specific



Human myeloma cell line, U266, was stained with CD70 (clone 113-16) APC/Fire™ 750 (filled histogram) or Mouse IgG1, κ APC/Fire™ 750 isotype control (open histogram).

Applications:

Applications: Flow Cytometry

Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric

analysis. For flow cytometric staining, the suggested use of this reagent is 5 μ L per million cells in 100 μ L staining volume or 5 μ L per

100 μL of whole blood.

* APC/Fire™ 750 has a maximum excitation of 650 nm and a maximum


emission of 787 nm.

Application Notes:

Additional reported applications for the relevant formats include:

blocking of plasmacytoid dendritic cell induced B cell proliferation and

Ig secretion¹.



Human peripheral blood granulocytes were stained with True-Stain Monocyte Blocker™ (Cat. No. 426103) and Siglec-9 (clone K8) APC/Fire™ 750 (filled histogram) or mouse IgG1, κ isotype control APC/Fire™ 750 (open histogram).

Application References:

1. Shaw J, et al. 2010. Blood 115:3051. (Block)

Description:

CD70, also known as CD27L, is a 50 kD type II transmembrane glycoprotein and member of the tumor necrosis factor superfamily. CD70 is expressed on activated T, B and NK cells, activated plasmacytoid dendritic cells (pDCs), and chronic B cell lymphocytic leukemia and large B cell lymphomas. CD70 costimulates T cell proliferation and differentiation. It plays a role in the pDC-induced B cell differentiation. The ligand of CD70 is CD27.

Antigen 1. Bowman MR, et al. 1994. J. Immunol. 152:1756. References: 2. Shaw J, et al. 2010. Blood 115:3051.

Shaw J, et al. 2010. Blood 115:3051.
Keller AM, et al. 2009. Blood 113:5167.