
Product Data Sheet

Purified anti-human CD49b

Catalog # / Size:	2396510 / 500 μg 2396505 / 50 μg
Clone:	P1E6-C5
Isotype:	Mouse IgG1, к
Immunogen:	HT1080 cells
Reactivity:	Human
Preparation:	The antibody was purified by affinity chromatography.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Concentration:	0.5



Human peripheral blood platelets stained with purified CD49b (clone P1E6-C5) or purified mouse IgG1, κ isotype control, followed by antimouse IgG PE.

Applications:

Applications:	Other
Recommended Usage:	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.5 microg per million cells in 100 microL volume. It is recommended that the reagent be titrated for optimal performance for each application.
Application Notes:	Additional reported applications (for the relevant formats of this clone) include: <i>in vitro</i> blocking activity ^{1,2} , immunoprecipitation3, and ELISA4. The LEAF ^{M} purified antibody (Endotoxin <0.1 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional studies (Cat. No. 359304).
Application References:	 Hirsch MS, <i>et al.</i> 1997. <i>Dev. Dyn.</i> 210:249. (Block) Sawhney RS, <i>et al.</i> 2006. <i>J. Biol. Chem.</i> 281:8497. (Block) Lee SA, <i>et al.</i> 2009. <i>Carcinogensis.</i> 30:1872. (IP) Zárate S, <i>et al.</i> 2004. <i>J. Virol.</i> 78:10839. (ELISA)
Description:	CD49b is a 170 kD transmembrane protein, also known as α_2 integrin, VLA-2 α chain, Integrin α_2 and GPIa. It associates with CD29 (β_1 integrin) to form VLA-2, a collagen and laminin receptor on many cell types including monocytes, platelets, activated T cells, megakaryocytes, neuronal cells, epithelial cells, and osteoclasts. CD49b has been reported to interact with F-actin and matrix metalloproteinase 1. CD49b is a platelet alloantigen and has been associated with neonatal alloimmune thrombocytopenia. Deficiencies in this protein have been associated with hemorrhagic disorders.
Antigen References:	 Kaplan C, <i>et al.</i> 1991. <i>Br. J. Haematol.</i> 78:425. Kiefel V, <i>et al.</i> 1991. <i>Vox Sang.</i> 60:244. Nieuwenhuis HK, <i>et al.</i> 1985. <i>Nature</i> 318:470. Takada Y and Helmer ME. 1989.

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com