Product Data Sheet

Brilliant Violet 605[™] anti-human CD33

Catalog # / Size:	2433055 / 25 tests 2433060 / 100 tests	100-
Clone:	P67.6	
Isotype:	Mouse IgG1, κ	age 33
Immunogen:	FMY9S5 cells expressing CD33 gene.	N CO CONTRACTOR
Reactivity:	Human	attive Cell Number
Preparation:	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 605 [™] under optimal conditions. The solution is free of unconjugated Brilliant Violet 605 [™] and unconjugated antibody.	20 0 10 ² 10 ³ 10 ⁴ 10 ⁵ Log Fluorescence Intensity
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).	Human peripheral blood monocytes were stained with CD33 (clone P67.6) Brilliant Violet 605 [™] (filled histogram) or mouse IgG1, κ Brilliant Violet 605 [™] (open histogram).
Concentration:	Lot-specific	

Applications:

Applications: Flow Cy	tometry
-----------------------	---------

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤5 microL per million cells or 5 microL per 100 microL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Brilliant Violet 605[™] excites at 405 nm and emits at 603 nm. The bandpass filter 610/20 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. **Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel.** Refer to your instrument manual or manufacturer for support. Brilliant Violet 605[™] is a trademark of Sirigen Group Ltd.

This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.

Application1. Hoyer J, et al. 2008. Am. J. Clin. Pathol. 129:316.References:

Description: CD33, also known as Siglec-3, gp67, and p67, is a 67 kD type I transmembrane glycoprotein. It is a sialoadhesion immunoglobulin superfamily member, which is expressed on myeloid progenitors, monocytes, granulocytes, dendritic cells, and mast cells. CD33 is absent on normal platelets, lymphocytes, erythrocytes, and hematopoietic stem cells. CD33 functions as a sialic acid-dependent cell adhesion

For research use only. Not for diagnostic use. Not for resale. Sony Biotechnology Inc. will not be held responsible for patent infringement or other violations that may occur with the use of our products. Sony Biotechnology Inc. 1730 North First Street, San Jose, CA 95112 www.sonybiotechnology.com molecule with carbohydrate/lectin binding activity.

 Antigen
 1. Favaloro E, et al. 1988. Br. J. Haematol. 69:163.

 References:
 2. Freeman S, et al. 1995. Blood 85:2005.