

Pacific Blue™ Mouse IgG1, κ Isotype Ctrl

Catalog # / Size:	2600655 / 100 µg 2600755 / 100 tests
Clone:	MOPC-21
Isotype:	Mouse IgG1, κ
Preparation:	The antibody was purified by affinity chromatography, and conjugated with Pacific Blue™ under optimal conditions. The solution is free of unconjugated Pacific Blue™.
Formulation:	test size: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA). microg size: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Concentration:	microg sizes: 0.5 mg/ml test sizes: lot-specific

Applications:

Applications:	Flow Cytometry
Recommended Usage:	Each lot of this mouse IgG1, κ isotype control antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, use the isotype control at the same concentration as your primary antibody. Use our Concentration Lookup tool to find the exact concentrations of your lots of product.

* Pacific Blue™ has a maximum emission of 455 nm when it is excited at 405 nm. Prior to using Pacific Blue™ conjugate for flow cytometric analysis, please verify your flow cytometer's capability of exciting and detecting the fluorochrome.

Application Notes:	The MOPC-21 immunoglobulin is useful as an isotype-matched control (for the relevant formats) for Western blotting, immunoprecipitation, immunohistochemistry, functional assay, immunofluorescence microscopy, immunocytochemistry and immunofluorescent staining (surface or intracellular) for flow cytometric analysis. The LEAF™ purified antibody (Endotoxin <0.1 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 400124) as negative control. For <i>in vivo</i> studies or highly sensitive assays, we recommend Ultra-LEAF™ purified antibody (Cat. No. 400166) with a lower endotoxin limit than standard LEAF™ purified antibodies (Endotoxin <0.01 EU/microg).
---------------------------	---

Application References:	<ol style="list-style-type: none">1. Carlsten M, <i>et al.</i> 2007. <i>Cancer Res.</i> 67:1317. PubMed2. Smed-Sörensen A, <i>et al.</i> 2008. <i>Blood</i> 111:5037. PubMed (FA)3. Bunesmann MM, <i>et al.</i> 2011. <i>Am. J. Respir. Cell. Mol. Biol.</i> Epub. PubMed4. Matsuyama T, <i>et al.</i> 2005. <i>Infect. Immun.</i> 73:1044. (IF)5. Correia DV, <i>et al.</i> 2011. <i>Blood</i> 118:992. (FC) PubMed6. Lian IA, <i>et al.</i> 2011. <i>Placenta.</i> 32:823. PubMed7. Bufe B, <i>et al.</i> 20015. <i>J Biol Chem.</i> 290:7369. PubMed
--------------------------------	---

Description:	The MOPC-21 immunoglobulin has unknown specificity. The isotype of this antibody is mouse IgG1, κ. This antibody was chosen as an isotype control after
---------------------	---

screening on a variety of resting, activated, live, and fixed mouse, rat and human tissues.