KIRAVIA Blue 520[™] Rat IgG2a, к Isotype Ctrl

Catalog # / Size:	
Clone:	RTK2758
lsotype:	Rat IgG2a, к
Immunogen:	Trinitrophenol + KLH
Reactivity:	Other
Preparation:	The antibody was purified by affinity chromatography and conjugated with KIRAVIA Blue 520 [™] under optimal conditions.
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Concentration:	0.2 mg/mL

Applications:

Applications: Flow Cytometry

Recommended Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the Usage: suggested use of this reagent is $\leq 1.0 \,\mu g$ per million cells in 100 μL volume. It is recommended that the reagent be titrated for optimal performance for each application. * KIRAVIA Blue 520[™] has an excitation maximum of 495 nm, and a maximum emission of 520 nm. Additional reported applications (for the relevant formats) Application Notes: include: Intracellular Flow Cytometry (ICFC), Immunocytochemistry (ICC), Immunohistochemistry (IHC), Immunoprecipitation (IP), Western Blotting (WB), and Functional Assay (FA). Application 1. Nishimoto H, et al. 2005. Blood 106:4241. **References:** 2. Seach N, et al. 2008. J. Immunol. 180:5384. PubMed 3. Jiang P, et al. 1999. J. Biol. Chem. 274:559. (FA)

Description: The RTK2758 immunoglobulin reacts with KLH. The isotype of this antibody is rat IgG2a, κ. This antibody was chosen as an isotype control after screening on a variety of resting, activated, live, and fixed mouse, rat and human tissues.