## PE/Cyanine7 Mouse IgM, κ Isotype Ctrl

Catalog # / Size:		
Clone:	MM-30	10 <sup>0</sup> 10 <sup>1</sup> 10 <sup>2</sup> 10 <sup>3</sup> 10 <sup>4</sup>
Isotype:	Mouse IgM, к	
Immunogen:	Trinitrophenol + KLH	
<b>Reactivity:</b>	Mouse	
Preparation:	The antibody was purified by affinity chromatography and conjugated with PE/Cy7 under optimal conditions.	
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA).	
Workshop Number:	750 under optimal conditions.	Human peripheral blood lymphocytes stained with anti mouse IgM, κ(MM-30) PerCP/Cy5.5
<b>Concentration:</b>	Lot-specific	isotype control

## **Applications:**

Applications:	Flow Cytometry	
Recommended Usage:	Each lot of this mouse IgM, kisotype control antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, use the isotype control at the same concentration as your primary antibody. Use our <u>Concentration Lookup</u> tool to find the exact concentrations of your lots of product.	
Application Notes:	The MM-30 immunoglobulin is useful as an isotype-matched control (for the relevant formats) for Western blotting, immunoprecipitation, immunohistochemistry, functional assay, and immunofluorescence microscopy. The LEAF <sup>™</sup> purified antibody (Endotoxin <0.1 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 401604) as negative control.	
Application References:	1. Ameres S, <i>et al.</i> 2014. <i>J Immunol.</i> 192:5894. <u>PubMed</u>	

**Description:** The isotype of MM-30 immunoglobulin is mouse IgM, κ. This antibody was chosen as an isotype control after screening on a variety of resting, activated, live, and fixed mouse, rat and human tissues.