
Product Data Sheet

PE/Cyanine7 anti-rat IgM

| Catalog # / Size: | 2644565 / 25 μg 2644570 / 100 μg |
|----------------------|---|
| Clone: | MRM-47 |
| lsotype: | Mouse IgG |
| Immunogen: | Mixed rat Igs |
| Reactivity: | Rat |
| Preparation: | The antibody was purified by affinity chromatography and conjugated with PE/Cyanine7 under optimal conditions. |
| Formulation: | Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide. |
| Concentration: | 0.2 mg/mL |



Rat splenocytes were stained with rat IgM (clone MRM-47) PE/Cyanine7 (filled histogram), or mouse IgG isotype control (open histogram).

Applications:

Applications: Flow Cytometry

Recommended Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 0.5 \ \mu$ g per million cells in 100 μ L volume. It is recommended that the reagent be titrated for optimal performance for each application.

Description: The MRM-47 monoclonal antibody reacts with rat immunoglobulin M (IgM) in all tested rat strains (Lou, Lou/Ws1/M, Lewis, Wistar, DA, Sprague-Dawley). It does not react with other isotypes. The MRM-47 antibody can be used as a primary or secondary reagent for ELISA or immunofluorescent analysis.