## **Product Data Sheet**

#### **APC/Fire™ 810 anti-mouse CD38**

Catalog # /  $1113730 / 100 \mu g$ 

**Size:** 1113725 / 25 μg

Clone: 90

**Isotype:** Rat IgG2a, κ

**Immunogen:** Mouse bone marrow pre-B cells

Reactivity: Mouse

**Preparation:** The antibody was purified by affinity

chromatography and conjugated with

APC/Fire™ 810 under optimal


conditions.

**Formulation:** Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide

Workshop Number: 750 under optimal conditions.

Concentration: 0.2 mg/mL



C57BL/6 mouse splenocytes were stained with anti-mouse CD45R/B220 FITC and anti-mouse CD38 (clone 90) APC/Fire™ 810 (left) or rat IgG2a, κ APC/Fire™ 810 isotype control (right).

### **Applications:**

**Applications:** Flow Cytometry

Recommended

**Usage:** 

Each lot of this antibody is quality control tested by immunofluorescent

staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.5~\mu g$  per million cells in  $100~\mu L$  volume. It is recommended that the reagent be titrated for optimal performance for each

application.

\* APC/Fire™ 810 has a maximum excitation of 650 nm and a maximum

emission of 810 nm.

Application Notes:

Additional reported applications (for


the relevant formats) include:

immunohistochemistry  $^{1,2}$  of acetone-fixed frozen sections, and induction

of B cell proliferation<sup>1</sup>.

Application References:

Oliver AM, et al. 1997. J. Immunol. 158:1108.
Howard M, et al. 1993. Science 262:1056.



#### **Description:** CD38 is a 42 kD glycoprotein, also known as T10. It is an ADP-ribosyl

hydrolase, expressed on B cells, NK cells, a subset of T cells, brain, muscle, and kidney. In mouse, CD38 expression is downregulated on germinal center B cells and plasma cells, whereas this is not the case for humans. By functioning as both a cyclase and a hydrolase, CD38 mediates lymphocyte activation, as well as adhesion and metabolism of cADPR and NAADP. CD31 is the ligand of CD38.

# Antigen References:

- 1. Barclay AN, et al. 1997. The Leukocyte Antigen FactsBook Academic Press.
- 2. Shubinsky G, et al. 1997. Immunity 7:315.
- 3. Cesano A, et al. 1998. J. Immunol. 160:1106.
- 4. Cockayne DA, et al. 1998. Blood 92:1324.