Product Data Sheet

PE anti-human CD147

Catalog # / 2131055 / 25 tests

Size: 2131060 / 100 tests

Clone: HIM6

Isotype: Mouse IgG1, κ **Immunogen:** Human PBMCs

Reactivity: Human, Non-human primate, Other

Preparation: The antibody was purified by affinity

chromatography and conjugated with PE under optimal conditions. The solution is free of unconjugated PE

and unconjugated antibody.


Formulation: Phosphate-buffered solution, pH 7.2,

containing 0.09% sodium azide and

0.2% (w/v) BSA (origin USA).

Workshop Number: VI N-L109

Concentration: Lot-specific



Human peripheral blood lymphocytes were stained with CD147 (clone HIM6) PE (filled histogram) or Mouse IgG1, κ PE isotype control (open histogram).

Applications:

Applications: Flow Cytometry

Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5 μl per million cells or 5 μl per 100 μl of whole blood. It is recommended that the reagent be titrated for optimal

performance for each application.

Application

Notes:

Additional reported applications (for the relevant formats) include:

inhibition of T cell activation 2 , immunohistochemical staining 1,3 of frozen tissue sections and formalin-fixed paraffin-embedded tissue sections, and

Western blotting¹.

Application References:

Biswas C, et al. 1995. Cancer Res. 55:434.
Fadool J, et al. 1993. Dev. Dyn. 196:252.

3. Felzmann T, et al. 1991. J. Clin. Immunol. 11:205.

Description: CD147, also known as neurothelin or basigin, is a member of the Ig

superfamily. It is a 55-65 kD type I transmembrane glycoprotein which is primarily expressed on leukocytes, erythrocytes, platelets, and endothelial

cells. CD147 is reported to have a function during embryonal brain development and/or play a role in integrin-mediated adhesion in brain

endothelia.

Antigen References:

1. Biswas C, et al. 1995. Cancer Res. 55:434.

Fadool J, et al. 1993. Dev. Dyn. 196:252.
Felzmann T, et al. 1991. J. Clin. Immunol. 11:205.